

Bibliography

- [1] R.A. Adams, *Sobolev Spaces*, Academic Press, New York (1975).
- [2] M. Ainsworth and J. T. Oden, A posteriori error estimators for the Stokes and Oseen equations, *SIAM J. Numer. Anal.*, 34, 228-245, 1997.
- [3] M. Ainsworth and J. T. Oden, *A posteriori Error Estimation in Finite Element Analysis*, Wiley-Interscience, New York (2000).
- [4] M. Amara, N. Arada, P. Correia and A. Sequeira, *A posteriori* error estimators for the steady second-grade flow model, submitted.
- [5] N. Arada, P. Correia and A. Sequeira, Fully developed second-grade flows in curved pipes with finite element methods, submitted.
- [6] N. Arada, P. Correia and A. Sequeira, Numerical approximation and simulation of second-grade fluid flows using discontinuous Galerkin methods, submitted.
- [7] N. Arada and A. Sequeira, Strong steady solutions for a generalized Oldroyd-B model with shear-dependent viscosity in a bounded domain, *Math. Models Methods Appl. Sci.*, 13, no. 9, 1303-1323, 2003.
- [8] G. Astarita and G. Marrucci, *Principles of Non-Newtonian Fluid Mechanics*, McGraw-Hill, London (1974).
- [9] I. Babuška and W. C. Reinboldt, Error estimates for adaptive finite element computations, *SIAM J. Numer. Anal.* 15, 736-754, 1978.
- [10] I. Babuška, O. C. Zienkiewicz, J. Gago and E. A. Oliveira, *Accuracy Estimates and Adaptive Refinements in Finite Element Computations*, Wiley (1986).
- [11] R. E. Bank and A. Weiser, Some a posteriori error estimators for elliptic partial differential equations, *Math. Comp.*, 44, 283-301, 1985.

- [12] J. Baranger and D. Sandri, Finite element approximation of viscoelastic fluid flow: Existence of approximate solutions and error bounds I-Discontinuous constraints, *Numer. Math.*, 63, 13-27, 1992.
- [13] J. Baranger and H. El Amri, A posteriori error estimators for mixed finite element approximation of some quasi-Newtonian flows, *Mat. Apl. Comput.*, 10, 89-102, 1991.
- [14] H. A. Barnes and K. Walters, On the flow of viscous and elastico-viscous liquids through straight and curved pipes, *Proc. Roy. Soc. Lond.*, A 314, 85-109, 1969.
- [15] H. Beirão da Veiga, Existence results in Sobolev spaces for a stationary transport equation, *Ricerche di Matematica*, 36, 173-184, 1987.
- [16] B. Bernstein, E. A. Kearsley and L.J. Zapas, A study of stress relaxation with finite strain, *Trans. Soc. Rheology*, 7, 391-410, 1963.
- [17] R. B. Bird, R. C. Armstrong and O. Hassager, *Dynamics of Polymeric Liquids*, John Wiley & Sons, New York (1987).
- [18] P. J. Bowen, A. R. Davies and K. Walters, On viscoelastic effects in swirling flows, *J. Non-Newtonian Fluid Mech.*, 38, 113-126, 1991.
- [19] S. Brenner and L.R. Scott, *The Mathematical Theory of Finite Element Methods*, Springer-Verlag, New York (1994).
- [20] H. Brézis, *Analyse fonctionnelle*, Masson (1983).
- [21] J. Calouet and J.-P. Chabard, Some fast 3D finite element solvers for the generalized Stokes problem, *Int. J. Num. Meth. Fluids*, 8, 869-895, 1988.
- [22] G. F. Carey and J.T. Oden, *Finite elements. Vol. VI. Fluid mechanics.*, The Texas Finite Element Series, VI. Prentice Hall, Inc., Englewood Cliffs, NJ (1986).
- [23] D. Cioranescu and V. Girault, Weak and classical solutions of a family of second grade fluids, *Internat. J. Non-Linear Mech.*, 32, 317-335, 1997.
- [24] D. Cioranescu and E. H. Ouazar, Existence and uniqueness for fluids of second grade, *Research Notes in Mathematics*, Pitman, 109, 178-197, 1984.

- [25] B. D. Coleman, H. Markovitz and W. Noll, *Viscometric Flows of Non-Newtonian Fluids*, Springer-Verlag, Berlin (1966).
- [26] B. D. Coleman and W. Noll, Foundations of linear viscoelasticity, *Rev. Mod. Phys.*, 33, 239-249, 1961.
- [27] V. Coscia and G. P. Galdi, Existence, uniqueness and stability of regular steady motions of a second-grade fluid, *Int. J. Non-Linear Mech.*, 29, 493-506, 1994.
- [28] V. Coscia and A. Robertson, Existence and uniqueness of steady, fully developed flows of second order fluids in curved pipes. *Math. Models Methods Appl. Sci.*, 11, no. 6, 1055-1071, 2001.
- [29] W.O. Criminale, J.L. Ericksen and J. I. Filbey, Steady Shear Flow of Non-Newtonian Fluids, *Arch. Rational Mech. Anal.*, 1, 410-417, 1958.
- [30] M. J. Crochet, A. R. Davies and K. Walters, *Numerical Simulation of Non-Newtonian Flow*, Elsevier, New York (1984).
- [31] C. Dawson and V. Aizinger, Upwind-mixed methods for transport equations, *Comp. Geosciences*, 3, 93-110, 1999.
- [32] W. R. Dean, Note on the motion of fluid in curved pipe, *Philos. Mag.*, 4, 208-223, 1927.
- [33] W. R. Dean, The streamline motion of fluid in curved pipe, *Philos. Mag.*, 5, 673-695, 1928.
- [34] O. Diallo, J. Pousin and T. Sassi, Estimateurs d'erreur a posteriori et formulation variationnelle de l'équation de transport, *C. R. Acad. Sci.*, Paris, 329, I, 1021-1026, 1999.
- [35] D. Doraiswamy, *The origins of Rheology: A short historical excursion*, *Rheology Bull.*, 71, 2002.
- [36] J. E. Dunn and R. L. Fosdick, Thermodynamics stability and boundedness of fluids of complexity 2 and fluids of second grade, *Arch. Rational Mech. Anal.*, 56, 191-252, 1974.
- [37] J. E. Dunn and K. R. Rajagopal, Fluids of differential type: Critical review and thermodynamical Analysis, *Int. J. Engng Sci.*, 33, 689-729, 1995.

- [38] Y. Fan, R. I. Tanner and N. Phan-Thien, Fully developed viscous and viscoelastic flows in curved pipes, *J. Fluid Mech.*, 440, 327-357, 2001.
- [39] M. Fortin and D. Esselaoui, A finite element procedure for viscoelastic flows, *Int. J. Numer. Meth. Fluid.*, 7, no. 10, 1035-1052, 1987.
- [40] M. Fortin and A. Fortin, A new approach for the FEM simulation of viscoelastic flows, *J. Non-Newtonian Fluid Mech.*, 32, 295-310, 1989.
- [41] R. L. Fosdick and K.R. Rajagopal, Uniqueness and drag for fluids of second grade in steady motion, *Int. J. Non-linear Mechanics*, 13, 131-137, 1978.
- [42] R. L. Fosdick and K. R. Rajagopal, Anomalous features in the model of second grade fluids, *Arch. Rational Mech. Anal.*, 70, 145-152, 1979.
- [43] G. P. Galdi, *An Introduction to the Mathematical Theory of the Navier-Stokes Equations: Linearized Steady Problems*, Springer Tracts in Natural Philosophy, Vol. 38, Springer, New York (1994).
- [44] G. P. Galdi, *An Introduction to the Mathematical Theory of the Navier-Stokes Equations: Nonlinear Steady Problems*, Springer Tracts in Natural Philosophy, Vol. 38, Springer, New York (1994).
- [45] G. P. Galdi, Mathematical theory of second grade fluids, CISM Courses and Lectures, Springer, New York, 334, 66-103, 1995.
- [46] G. P. Galdi, M. Grobbelaar-Van Dalsen and N. Sauer, Existence and uniqueness of classical solutions of the equations of motion for second-grade fluids, *Arch. Rational Mech. Anal.*, 124, 221-237, 1993.
- [47] G. P. Galdi and A. Sequeira, Further existence results for classical solutions of the equations of second-grade fluid, *Arch. Rational Mech. Anal.*, 128, 297-312, 1994.
- [48] H. A. Giesekus, A unified approach to a variety of constitutive models for polymer fluids based on the concept of configuration dependent molecular mobility, *Rheol. Acta*, 21, 366-375, 1982.
- [49] V. Girault and P. A. Raviart, *Finite Element Approximation of the Navier-Stokes Equations*, Lecture Notes in Math., 749, Springer-Verlag, Berlin (1979).

- [50] V. Girault and L. R. Scott, Analysis of a two-dimensional grade-two fluid model with a tangential boundary condition, *J. Math. Pures Appl.*, 78, 981-1011, 1999.
- [51] V. Girault and L. R. Scott, Upwind discretizations of a steady grade-two fluid model in two dimensions. Nonlinear partial differential equations and their applications. Collège de France Seminar, Vol. XIV (Paris, 1997/1998), 393-414, Stud. Math. Appl., 31, North-Holland, Amsterdam, 2002.
- [52] V. Girault and L. R. Scott, Finite element discretizations of a two-dimensional grade-two fluid model, *M2AN*, 35, 1007-1053, 2002.
- [53] P. Grisvard, *Elliptic problems in non-smooth domains*, Monographs and Studies in Mathematics, 24, Pitman (1985).
- [54] A. S. Gupta and K. R. Rajagopal, An exact solution for the flow of a non-Newtonian fluid past an infinite porous plate, *Mechanica*, 19, 158-160, 1984.
- [55] R. Hartmann and P. Houston, Adaptive Discontinuous Galerkin Finite Element Methods for Nonlinear Hyperbolic Conservation Laws, *SIAM J. Sci. Comput.*, 24, 979-1004, 2002.
- [56] J. V. Hlomuka and N. Sauer, Stability of Navier-Stokes flows through permeable boundaries, *Lecture Notes in Pure and Appl. Math.*, 223, 33-34, 2002.
- [57] D.D. Holm, J.E. Marsden and T.S. Ratiu, Euler-Poincaré models of ideal fluids with nonlinear dispersion, *Phys. Rev. Lett.* 349, 4173-4177. 1998.
- [58] D.D. Holm, J.E. Marsden and T.S. Ratiu, The Euler-Poincaré equations and semidirect products with applications to continuum theories, *Adv. in Math.* 137, 1-81, 1998.
- [59] H. Jeffreys, *The Earth*, Cambridge University Press (1929).
- [60] P. Hood and C. Taylor, A numerical solution of the Navier-Stokes equations using the finite element technique, *Comp. and Fluids*, 1, 73-100, 1973.
- [61] W. Jitchote and A. M. Robertson, Flow of second order fluids in curved pipes, *J. Non-Newtonian Fluid Mech.*, 90, 91-116, 2000.

- [62] C. Johnson and J. Pitkäranta, An analysis of the Discontinuous Galerkin Method for a scalar hyperbolic equation, *Math. Comp.*, 46, 1-26, 1986.
- [63] C. Johnson, *Numerical Solutions of Partial Differential Equations by the Finite Element Method*, Cambridge University Press (1987).
- [64] M. W. Johnson and D. Segalman, A model of viscoelasticity fluid behaviour which allows non-affine deformation, *J. Non-Newtonian Fluids Mech.*, 2, 255-270, 1997.
- [65] J. R. Jones, Flow of a non-Newtonian liquid in a curved pipe, *Quart. J. Mech. Appl. Math.*, 13, 428-443, 1960.
- [66] D. D. Joseph, *Fluid Dynamics of Viscoelastic Liquids*, Springer Verlag, New York (1990).
- [67] P. N. Kaloni and K. R. Rajagopal, *Some remarks on boundary conditions for flow of fluids of the differential type*, in Continuum Mechanics and its Applications, Hemisphere Press, New York, NY (1989).
- [68] R. Keunings, A survey of computational rheology, in: Proceedings of the XIIIth International Congress on Rheology (D.M. Binding et al. ed.), British Soc. Rheol., 1, 7-14, 2000.
- [69] H. P. Langtangen, *Computational Partial Differential Equations - Numerical Methods and Diffpack Programming*, Springer-Verlag (1999).
- [70] P. Lesaint and P. A. Raviart, On a finite element method for solving the neutron transport equation, in C. de Boor, editor, *Mathematical Aspects of Finite Elements in Partial Differential Equations*, 89-123, New York, Academic press, 1974.
- [71] B. Lucquin and O. Pironneau, *Introduction au Calcul Scientifique*, Masson (1996).
- [72] C. S. Man, Nonsteady channel flow of ice as a modified second-order fluid with power-law viscosity, *Arch. Rational Mech. Anal.*, 119, 35-57, 1992.
- [73] R. Maritz and N. Sauer, Stability and uniqueness of second grade fluids in regions with permeable boundaries. Navier-Stokes equations and related nonlinear problems (Palanga, 1997), VSP, Utrecht, 153-164, 1998.

- [74] K. Najib, D. Sandri, On a decoupled algorithm for solving a finite element problem for the approximation of viscoelastic fluid flow, *Numer. Math.*, 72, 223-238, 1995.
- [75] J. Nečas, *Les Méthodes Directes en la Théorie des Equations Elliptiques*, Masson, Paris (1967).
- [76] S. Novo, A. Novotný and M. Pokorný, Some notes to the transport equation and to the Green formula, *Rend. Sem. Mat. Univ. Padova*, 106, 1-9, 2001.
- [77] A. Novotný, About the steady transport equation I - L^p -Approach in domains with smooth boundaries, *Comm. Mat. Univ. Carolinæ*, 37, 43-89, 1996.
- [78] J. G. Oldroyd, On the formulation of rheological equations of state, *Proceedings of the Royal Society*, A200: 523-541, 1950.
- [79] R. Owens and T.N. Phillips, *Computational Rheology*, Imperial College Press, London (2002).
- [80] N. Phan-Thien and R. I. Tanner, A new constitutive equation derived from network theory, *J. Non-Newtonian Fluid Mech.*, 2, 353-365, 1977.
- [81] A. Quarteroni and A. Valli, *Numerical Approximation of Partial Differential Equations*, Springer-Verlag (1994).
- [82] K. R. Rajagopal, Mechanics of non-Newtonian fluids, Galdi, G.P. and J. Nečas (eds) *Recent Developments in Theoretical Fluid Mechanics*, Pitman Research Notes in Mathematics **291**, Longman Scientific and Technical, 129-162, 1993.
- [83] K. R. Rajagopal, On boundary conditions for fluids of differential type, A. Sequeira (ed.) *Navier-Stokes Equations and Related Non-Linear Problems*, Plenum Press, 273-278, 1995.
- [84] M. Reiner, A mathematical theory of dilatancy, *Am. J. Math.*, 67, 350-362, 1945.
- [85] M. Renardy, *Mathematical Analysis of Viscoelastic Flows*, SIAM (2000).
- [86] B. Rivière and M.F. Wheeler, A posteriori error estimates for a discontinuous Galerkin method applied to elliptic problems, *Comput. Math. Appl.*, 46, 141-163, 2003.

- [87] R.S. Rivlin, The hydrodynamics of non-Newtonian fluids, *Proc. Roy. Soc. London*, A193, 260-281, 1948.
- [88] R. S. Rivlin and J. L. Ericksen, Stress-deformation relations for isotropic materials, *J. Rational Mech. Anal.*, 4, 323-425, 1955.
- [89] R. S. Rivlin and J. L. Ericksen, Further remarks on the stress-deformation relations for isotropic materials, *J. Rational Mech. Anal.*, 4, 681-702, 1955.
- [90] A. M. Robertson, On viscous flow in curved pipes of non-uniform cross section, *Inter. J. Numer. Meth. fluid.*, 22, 771-798, 1996.
- [91] S. Rosenblat, Reversal of secondary flow in non-Newtonian fluids, *J. Fluid. Mech.*, 85, 387-400, 1978.
- [92] Y. Saad, *Iterative Methods for Sparse Linear Systems*, (Second edition) Society for Industrial and Applied Mathematics, Philadelphia (2003).
- [93] D. Sandri, Finite element approximation of viscoelastic fluid flow: existence of approximate solutions and error bound. Continuous approximation of the stress, *SIAM J. Numer. Anal.*, 31, 362-377, 1994.
- [94] P. Saramito, *Simulation numérique d'écoulements de fluides viscoélastiques par éléments finis incompressibles et une méthode de directions alternés – Applications*, Thèse de l'Institut National Polytechnique de Grenoble (1990).
- [95] W. R. Schowalter, *Mechanics of Non-Newtonian Fluids*, Pergamon Press, New York (1978).
- [96] A. Sequeira and M. Baía, A finite element approximation for the steady solution of a second-grade model, *J. Comput. Appl. Math.*, 281-295, 1999.
- [97] W. Y. Soh and S. A. Berger, Fully developed flow in a curved pipe of arbitrary curvature ratio, *Int. J. Numer. Meth. Fluid.*, 7, 733-755, 1987.
- [98] R. Verfürth, A posteriori error estimators for the Stokes equations, *Numer. Math.*, 55, 309-325, 1989.
- [99] R. Verfürth, *A Review of A Posteriori Error Estimation and Adaptive Mesh-Refinement Techniques*, Wiley-Teubner (1996).

- [100] R. Verfürth, A posteriori error estimators for convection-diffusion equations, *Numer. Math.*, 80, 641-663, 1998.
- [101] R. Verfürth, Iterative methods for the numerical solution of mixed finite element approximations of the Stokes problem, *Rapport de recherche de l'INRIA*, 0379, 1985.
- [102] C. Truesdell and W. Noll, *The Non-Linear Field Theories of Mechanics*, Encyclopedia of Physics, (ed. S.Flugge), vol.III/3, Springer-Verlag (1965)
- [103] J. H. Videman, *Mathematical Analysis of Viscoelastic non-Newtonian Fluids*, PhD thesis, IST, Lisbon (1997).
- [104] J. L. White and A. B. Metzner, Development of constitutive equations for polymeric melts and solutions, *J. Appl. Polym. Sci.*, 7, 1867-1889, 1963.